



ANGLE

| PRODUCT CODE | DIMENSIONS | | | LENGTH | KG/M | ANODISED PERIMETER |
|---------------|------------|----|-----|--------|-------|--------------------|
| | A | B | C | | | |
| AN12121437BRS | 12 | 12 | 1.4 | 3.7 | 0.086 | 100 |
| AN12121437PWH | 12 | 12 | 1.4 | 3.7 | 0.086 | 100 |
| AN12121465MFN | 12 | 12 | 1.4 | 6.5 | 0.086 | 100 |
| AN12121660PRI | 12 | 12 | 1.6 | 6.0 | 0.097 | 100 |
| AN12121665MFN | 12 | 12 | 1.6 | 6.5 | 0.097 | 100 |
| AN12121665PRI | 12 | 12 | 1.6 | 6.5 | 0.097 | 100 |
| AN12121665PWH | 12 | 12 | 1.6 | 6.5 | 0.097 | 100 |
| AN20121437BRS | 20 | 12 | 1.4 | 3.7 | 0.116 | 100 |
| AN20121437PWH | 20 | 12 | 1.4 | 3.7 | 0.116 | 100 |
| AN20121465AIV | 20 | 12 | 1.4 | 6.5 | 0.116 | 100 |
| AN20121465BWH | 20 | 12 | 1.4 | 6.5 | 0.116 | 100 |
| AN20121465CBK | 20 | 12 | 1.4 | 6.5 | 0.116 | 100 |
| AN20121465MFN | 20 | 12 | 1.4 | 6.5 | 0.116 | 100 |
| AN20121465PWH | 20 | 12 | 1.4 | 6.5 | 0.116 | 100 |
| AN20121665MFN | 20 | 12 | 1.6 | 6.5 | 0.132 | 100 |
| AN20121665PRI | 20 | 12 | 1.6 | 6.5 | 0.131 | 100 |
| AN20121665PWH | 20 | 12 | 1.6 | 6.5 | 0.141 | 100 |
| AN20201465MFN | 20 | 20 | 1.4 | 6.5 | 0.146 | 100 |
| AN20201665MER | 20 | 20 | 1.6 | 6.5 | 0.165 | 100 |
| AN20201665MFN | 20 | 20 | 1.6 | 6.5 | 0.165 | 100 |
| AN20201665MNT | 20 | 20 | 1.6 | 6.5 | 0.165 | 100 |
| AN20201665PRI | 20 | 20 | 1.6 | 6.5 | 0.165 | 100 |
| AN20201665PWH | 20 | 20 | 1.6 | 6.5 | 0.165 | 100 |
| AN25121665BWH | 25 | 12 | 1.6 | 6.5 | 0.143 | 100 |
| AN25121665CBK | 25 | 12 | 1.6 | 6.5 | 0.151 | 100 |
| AN25121665MFN | 25 | 12 | 1.6 | 6.5 | 0.149 | 100 |
| AN25121665PWH | 25 | 12 | 1.6 | 6.5 | 0.151 | 100 |




ANGLE

| PRODUCT CODE | DIMENSIONS | | | LENGTH | KG/M | ANODISED PERIMETER |
|---------------|------------|----|-----|--------|-------|--------------------|
| | A | B | C | | | |
| AN25201665BRZ | 25 | 20 | 1.6 | 6.5 | 0.186 | 100 |
| AN25201665BWH | 25 | 20 | 1.6 | 6.5 | 0.186 | 100 |
| AN25201665CBK | 25 | 20 | 1.6 | 6.5 | 0.186 | 100 |
| AN25201665DPO | 25 | 20 | 1.6 | 6.5 | 0.186 | 100 |
| AN25201665MFN | 25 | 20 | 1.6 | 6.5 | 0.186 | 100 |
| AN25201665MNT | 25 | 20 | 1.6 | 6.5 | 0.186 | 100 |
| AN25201665PRI | 25 | 20 | 1.6 | 6.5 | 0.186 | 100 |
| AN25201665PWH | 25 | 20 | 1.6 | 6.5 | 0.186 | 100 |
| AN25201665SBG | 25 | 20 | 1.6 | 6.5 | 0.186 | 100 |
| AN25201665USG | 25 | 20 | 1.6 | 6.5 | 0.186 | 100 |
| AN25251437BRS | 25 | 25 | 1.4 | 3.7 | 0.196 | 100 |
| AN25251665CBK | 25 | 25 | 1.6 | 6.5 | 0.208 | 100 |
| AN25251665MFN | 25 | 25 | 1.6 | 6.5 | 0.208 | 100 |
| AN25251665MNT | 25 | 25 | 1.6 | 6.5 | 0.209 | 100 |
| AN25251665PRI | 25 | 25 | 1.6 | 6.5 | 0.208 | 100 |
| AN25251665PWH | 25 | 25 | 1.6 | 6.5 | 0.208 | 100 |
| AN25253060MFN | 25 | 25 | 3 | 6.0 | 0.381 | 100 |
| AN32201660MFN | 32 | 20 | 1.6 | 6.0 | 0.218 | 104 |
| AN32321415MFN | 32 | 32 | 1.4 | 1.5 | 0.236 | 126 |
| AN32321460MFN | 32 | 32 | 1.4 | 6.0 | 0.237 | 126 |
| AN32321615MFN | 32 | 32 | 1.6 | 1.5 | 0.237 | 128 |
| AN32321665CPL | 32 | 32 | 1.6 | 6.5 | 0.237 | 128 |
| AN32323065MFN | 32 | 32 | 3 | 6.5 | 0.494 | 128 |
| AN35201665CBK | 35 | 20 | 1.6 | 6.5 | 0.232 | 110 |
| AN35201665MFN | 35 | 20 | 1.6 | 6.5 | 0.232 | 110 |
| AN40121665MFN | 40 | 12 | 1.6 | 6.5 | 0.216 | 104 |
| AN40121665MNT | 40 | 12 | 1.6 | 6.5 | 0.232 | 104 |



ANGLE

| PRODUCT CODE | DIMENSIONS | | | LENGTH | KG/M | ANODISED PERIMETER |
|----------------|------------|----|-----|--------|-------|--------------------|
| | A | B | C | | | |
| AN40201665CBK | 40 | 20 | 1.6 | 6.5 | 0.252 | 119 |
| AN40201665MER | 40 | 20 | 1.6 | 6.5 | 0.251 | 119 |
| AN40201665MFN | 40 | 20 | 1.6 | 6.5 | 0.251 | 119 |
| AN40201665MNT | 40 | 20 | 1.6 | 6.5 | 0.251 | 119 |
| AN40201665PRI | 40 | 20 | 1.6 | 6.5 | 0.251 | 119 |
| AN40201665PWH | 40 | 20 | 1.6 | 6.5 | 0.251 | 119 |
| AN40201665USG | 40 | 20 | 1.6 | 6.5 | 0.252 | 119 |
| AN40251665MFN | 40 | 25 | 1.6 | 6.5 | 0.273 | 129 |
| AN40251665PWH | 40 | 25 | 1.6 | 6.5 | 0.273 | 129 |
| AN40253065CBK | 40 | 25 | 3 | 6.5 | 0.504 | 129 |
| AN40401665MFN | 40 | 40 | 1.6 | 6.5 | 0.341 | 160 |
| AN40401665MNT | 40 | 40 | 1.6 | 6.5 | 0.338 | 160 |
| AN40401665PRI | 40 | 40 | 1.6 | 6.5 | 0.338 | 160 |
| AN40401665PWH | 40 | 40 | 1.6 | 6.5 | 0.338 | 160 |
| AN40403060MFN | 40 | 40 | 3 | 6.0 | 0.623 | 160 |
| AN50251637BRS | 50 | 25 | 1.6 | 3.7 | 0.317 | 150 |
| AN50251665CBK | 50 | 25 | 1.6 | 6.5 | 0.317 | 150 |
| AN50251665MFN | 50 | 25 | 1.6 | 6.5 | 0.316 | 150 |
| AN50251665MNT | 50 | 25 | 1.6 | 6.5 | 0.569 | 150 |
| AN50251665PRI | 50 | 25 | 1.6 | 6.5 | 0.317 | 150 |
| AN50251665PWH | 50 | 25 | 1.6 | 6.5 | 0.317 | 150 |
| AN50253060MFN | 50 | 25 | 3 | 6.0 | 0.583 | 151 |
| AN50501665MFN | 50 | 50 | 1.6 | 6.5 | 0.425 | 199 |
| AN50501665MNT | 50 | 50 | 1.6 | 6.5 | 0.425 | 199 |
| AN50503012MFN | 50 | 50 | 3 | 1.2 | 0.000 | 200 |
| AN50503021MFN | 50 | 50 | 3 | 0.2 | 0.000 | 200 |
| AN505030265MFN | 50 | 50 | 3 | 0.3 | 7.879 | 200 |



ANGLE

| PRODUCT CODE | DIMENSIONS | | | LENGTH | KG/M | ANODISED PERIMETER |
|----------------|------------|----|-----|--------|-------|--------------------|
| | A | B | C | | | |
| AN505030404MFN | 50 | 50 | 3 | 0.4 | 7.879 | 200 |
| AN505030421MFN | 50 | 50 | 3 | 0.4 | 7.879 | 200 |
| AN50503043MFN | 50 | 50 | 3 | 0.4 | 0.000 | 200 |
| AN505030480MFN | 50 | 50 | 3 | 0.5 | 7.879 | 200 |
| AN505030495MFN | 50 | 50 | 3 | 0.5 | 7.879 | 200 |
| AN505030595MFN | 50 | 50 | 3 | 0.6 | 7.879 | 200 |
| AN50503060MFN | 50 | 50 | 3 | 6.0 | 0.789 | 200 |
| AN50503505MFN | 50 | 50 | 3 | 0.5 | 7.879 | 200 |
| AN50504060MFN | 50 | 50 | 4 | 6.0 | 1.040 | 200 |
| AN50506060MFN | 50 | 50 | 6 | 6.0 | 1.522 | 201 |
| AN60253060MFN | 60 | 25 | 3 | 6.0 | 0.664 | 169 |
| AN60253065MFN | 60 | 25 | 3 | 6.5 | 0.664 | 169 |
| AN60404060MFN | 60 | 40 | 4 | 6.0 | 1.330 | 198 |
| AN60606060MFN | 60 | 60 | 6 | 6.0 | 1.847 | 240 |
| AN70251665MFN | 70 | 25 | 1.6 | 6.5 | 0.380 | 190 |
| AN70251665MNT | 70 | 25 | 1.6 | 6.5 | 0.385 | 190 |
| AN70251665PRI | 70 | 25 | 1.6 | 6.5 | 0.402 | 190 |
| AN70251665PWH | 70 | 25 | 1.6 | 6.5 | 0.402 | 190 |
| AN80806060MFN | 80 | 80 | 6 | 6.0 | 2.495 | 319 |
| AN100503058MNT | 100 | 50 | 3 | 5.8 | 1.210 | 298 |
| AN100503065MFN | 100 | 50 | 3 | 6.5 | 1.195 | 298 |
| AN100506MFN65 | 100 | 50 | 6 | 6.5 | 2.338 | 300 |
| AN125503035MFN | 125 | 50 | 3 | 6.5 | 1.084 | 300 |
| AN125503035MNT | 125 | 50 | 3 | 6.5 | 1.084 | 300 |
| AN125503058MNT | 125 | 50 | 3 | 5.8 | 1.409 | 300 |
| AN125503065MNT | 125 | 50 | 3 | 6.5 | 1.409 | 300 |